# hansgrohe

# The most enjoyable workplace in the home.

With innovative sinks and mixers by hansgrohe

Sink combo C51-F660-07

### Contents

### Company

- 4 Tradition
- 5 Quality

### The heart of the kitchen


- 8 Design
- **10** Material and colours
- **12** Size and installation options
- 14 Functions
- **24** sBox

### Range

- 28 Sink combination units in stainless steel
- **30** Sinks in stainless steel
- **32** Sink combination units in granite SilicaTec
- **34** Sinks in granite SilicaTec
- 36 Kitchen mixers
- 41 Technologies

### Sponsoring


42 Cycling



The Hansgrohe company

### Forever the pioneer

Never satisfied with anything less than ground-breaking, Hans Grohe was a genuine pioneer, constantly striving for innovation. At a time when the idea of a bathroom in a family home was barely imaginable and a daily shower a flight of fantasy, he was already working on the first showerheads, setting new standards in bathrooms across Europe. Today with thirty-four companies and twenty-one sales offices supplying one and hundred and forty-two countries worldwide, the hansgrohe brand is recognised as one of the few global players in the sanitary industry. Now as then, hansgrohe production remains for the most part in the Black Forest region, endorsing its "Made in Germany" maxim and continuing its founder's original values. The Hansgrohe Group is also an industry pioneer in fostering sustainability and environmental protection. This is reflected in its many water and energy-saving products as well as in eco-friendly production technologies, global environmental protection projects and particularly the sustainable handling of water as one of our planet's most valuable resources.



Hansgrohe: leading from the front since 1901.

Quality you can count on

# We work hard to always exceed your expectations

At hansgrohe, we build on longpracticed expertise to ensure the highest quality in form and function. We believe, and always have, that "Made in Germany" is a blueprint for success. Almost all our products are manufactured where hansgrohe was first established – our home in the Black Forest. Our philosophy is to offer customers long-lasting solutions that that set standards in functionality and quality. To this end we continue in our research and development as we always have. Combining fresh thinking with traditional understanding is how we ensure success in the future for everyone engaged with hansgrohe.







**Environmental responsibility:** Sustainability, environmental and climate change are key concerns in everything we do. Our worldwide conservation projects and informative work on the preservation of water resources help improve the ecosystem. We employ renewable energies, efficient recycling systems and heat recovery during production to reduce CO<sub>2</sub> emissions. Choosing hansgrohe means hoosing long-lasting quality and ecologically-responsible manufacturing.



**Highest standards:** We only employ high quality materials that are approved for drinking water applications. These are subjected to long-term tests to assure their compliance with all kitchen requirements. Adherence to current standards and the precise fitting of every single component ensures their safe, user-friendly function for years to come. The guidelines we have drawn up for ourselves on product safety far exceed the majority of specifications in this sector. That's why hansgrohe has no doubts whatsoever about offering a 5-year warranty on every product.



**Industry stimulus:** At hansgrohe around 30% of our turnover is achieved with new products less than three years old. It's this capacity for fresh new ideas that makes us one of the most innovative leaders in our industry. Many new products initiated, designed and developed by hansgrohe have been welcomed all over the world. Some of them have made industry history and some have even made cultural history.

# The heart of the kitchen



Award for outstanding design

# Fresh thinking creates new opportunities

Any sink must first of all be functional and long-lasting. If its design is appealing too, it is an ideal choice for any dream kitchen. Naturally every hansgrohe sink demonstrates precisely those same satisfying characteristics. Hand-welded stainless steel or natural granite SilicaTec are the foundations of these highquality sinks. Their clear-cut rectangular shape combines clean lines with minimalist design to blend perfectly with a modern kitchen environment. The basin rim's asymmetrical design adds a unique aesthetic appeal and unites the sink and spout, plus the control unit if relevant, in one harmonious unit. And easier control is achieved with a new concept using a tilt lever or the Select button.




Sink combo C71-F660-08

The Hansgrohe SE has already won over 550 awards in fifty international design competitions, making hansgrohe one of most successful companies in the market. Ranked sixth in 2017 by the renowned International

Forum Design (iF), we were the highestplaced organisation in the industry. Design however is never an end in itself but rather the best expression of innovative function and advanced form.







The tilt lever also turns the water on and off and is used to select the water temperature. The water flow can then be stopped or restarted at any time using the Select button on the mixer.

New benchmarks in the kitchen

# High-quality materials stainless steel and granite SilicaTec

Granite sinks in SilicaTec have been added to complement our stainless steel range. SilicaTec is the material of the future and its warm looks bring natural colours into the kitchen. This welcoming character generates a feel-good atmosphere that resonates with today's trend for integrating kitchen and living areas. For even more individuality, SilicaTec is available in three colours, allowing colour accents to be added to the kitchen design.







stainless steel -800

graphite black -170

stone grey -290




-380



Exclusive: 1 mm thick hand-welded stainless steel sinks shine with their precision edges and 10mm corner radii.



**Durable:** Manufactured using edge-rounded quartz particles from Germany for a tough, hard surface.



**Pearling effect:** Thanks to its smooth, non-porous surface, water simply rolls off.



Natural: The material is pleasing to the touch and feels very natural.

### All eyes on the kitchen

# Size and installation options for any kitchen

With a choice of bowl shapes including small, elongated or double and the various installation options, there is plenty of freedom to design a completely individual kitchen. Having the drainer on the left gives an option to extend the working area. The large bowls are ideal for filling and cleaning bulky items while a double sink makes it possible to carry out several tasks at the same time.



**Surface-mounted installation:** The sink is inserted from above into a hole cut in the worktop.



Flush-fit installation: The sink is fitted flush to the worktop, providing the seamless transition between sink and worktop that is only possible with stainless steel sinks.

		h Stars	
2	0.01xtati, 87.040 million. Fil		
3 31			FTTT

**Under-mounted installation:** The sink is attached to the worktop from below. This makes the kitchen more spacious.



**Single bowl:** Suitable for base units from 80 cm with a bowl width of approx. 66 cm and for base units from 60 cm with a bowl width of approx. 45 cm (not shown).



### Double bowls:

Suitable for base units from 80 cm with a bowl width of approx. 18 cm and approx.  $45\,\text{cm}.$ 



### Double bowls:

Suitable for base units from 90 cm with each bowl width approx. 37 cm.



**Single bowl with drainer:** Suitable for base units from 60 cm with a bowl width of approx. 45 cm. Line 71 with tilt lever and Select button

# Ergonomic excellence for perfect performance

Our new water control concept can be found on the front edge of the sink and eliminates the handle on the kitchen mixer. Turning the ergonomic tilt lever controls the water temperature while tilting it controls the water flow. Together with the tilt lever, there is an additional control option with the intuitive Select button. This enables the water to be turned on and off at the touch of a button when you're involved in other tasks. This kitchen mixer can be found in Line 71 or as part of any sink combination unit.

#### Example: Kitchen mixer M7119-H200





Line 71 with Select button and 2 spray modes

### **New ergonomics and functionality** for the modern kitchen

The intuitive Select button at the sink edge is a new way to control water in the kitchen. It allows you to turn the water on and off with a gentle press and operate the

automatic outflow fitting with one turn. An ergonomic handle makes for easy setting of the water flow and its temperature while a changeover button on the kitchen mixer lets

you choose between two spray modes. This kitchen mixer can be found in Line 71 or as part of any sink combination unit.

#### Example: Kitchen mixer M7120-H220



on and off while working at the sink. Simply turn to operate the automatic outflow fitting.

The spout swivels through 150 degrees for freedom of movement.

Minimalistic form complements the contours of the sink.



Line 71 with Select button

### Perfect in the hand, perfect in design

Introducing a new kitchen mixer that allows you to comfortably control the water with no awkward twisting of the wrist. An ergonomic handle makes it easy to set the water flow and temperature and the additional Select button on the kitchen mixer means the water can be turned on and off any time with the touch of a button. The pull-out spout reaches up to 76 cm to give you a wider working area around the sink. This kitchen mixer and similar ones can be found in the Lines 71 and 51.





Line 51 with Select button

# An all-rounder for the modern kitchen

The timeless, tapering lines of this conical design will blend harmoniously with any modern kitchen. The generouslyproportioned handle makes for easy setting of the water flow and temperature and thanks to the additional Select button on the kitchen mixer, the water can be quickly turned on and off with a finger, the back of a hand or an arm. This gives you more freedom to move about, allowing you to work more efficiently. This kitchen mixer and similar ones can be found in the Lines 71, 51 and 41.

#### Example: Kitchen mixer M512-H300



The generously-proportioned handle turns the water on and off and is used to select water temperature.



Line 71 with fold-down function: ideal for installation in front of a window; simply lift the mixer up when required and lay it flat.



Line 52 with 2 spray modes

### More freedom to move about when cooking and washing up

The purist rounded design will create elegance in any kitchen. A single lever makes setting the water flow and temperature easy while a changeover button lets you choose between two spray modes. The pull-out spout reaches up to 76 cm to give you a wider working area around the sink. This kitchen mixer and similar ones can be found in the Lines 51, 52 and 41.

#### Example: Kitchen mixer M5216-H220






Line 71 with fold-down function: ideal for installation in front of a window; simply lift the mixer up when required and lay it flat. sBox

# Added comfort from an innovative hose guidance system in the base cabinet

Available as part of any sink combination unit or pull-out kitchen mixer, the sBox makes sure the hose pulls out and retracts easily and quietly. Inside an sBox the hose cannot get caught or damaged in any way as hose weight safely guards and guides it away from any obstacles that might hinder its operation. The 52 cm box fits in any standard base cabinet, creating a tidy base unit that leaves space for any waste system.









# Sink combinations in stainless steel

The range of sizes and function makes it easy to combine a sink combination with a matching mixer to create a truly modern unit. The combination of quality, design and function opens a whole new chapter in kitchen design. With the kitchen mixers, there is the choice between those with the Select button and those with the tilt lever. Both are available in a chrome (-000) or stainless steel finish (-800) and each combination unit contains all the other necessary components.





Surface-mounted installation

Flush-fit installation



-000



stainless steel finish -800



stainless steel -800







**C71-F450-06** Sink combo 450 with 2-hole Select kitchen mixer 200 Base cabinet: 600 mm # 43201, -000, -800



C71-F660-08

**C71-F660-08** Sink combo 660 with 2-hole Select kitchen mixer 200 Base cabinet: 800 mm # 43202, -000, -800



The sink measurements are on page 32. Further information at www.hansgrohe.com



**C71-F655-04** Select sink combo 180/450 with 2-hole kitchen mixer 320 Base cabinet: 800 mm # 43210, -000, -800





**C71-F765-05** Select sink combo 370/370 with 2-hole kitchen mixer 320 Base cabinet: 900 mm # 43211, -000, -800



SELECT





**C71-F765-10** Sink combo 370/370 with 2-hole Select kitchen mixer 200 Base cabinet: 900 mm # 43203, -000, -800



C71-F450-02 Select sink combo 450 drainer with

Select sink combo 450 drainer with 2-hole kitchen mixer 220 Base cabinet: 600 mm # 43208, -000, -800 **C71-F450-11** (Drainer right, not shown) # 43229, -000, -800





C71-F450-07 Sink combo 450 drainer with 2-hole Select kitchen mixer 200 Base cabinet: 600 mm # 43205, -000, -800 C71-F450-12 [Drainer right, not shown] # 43230, -000, -800



A choice of bowl shapes including

small, elongated or double ensures the

freedom to design a completely individual

kitchen. Having the drainer on the left gives an

option to extend the working area. The larger

bowls are ideal for filling and cleaning bulky

### Sinks in stainless steel





Surface-mounted installation


Flush-fit installation



stainless steel -800




**S711-F450** Built-in sink 450 Base cabinet: 600 mm # 43301, -800, with tap hole drilling # 43920000 Manual outflow and overflow system




\$711-F660 Built-in sink 660

- Base cabinet: 800 mm
- #43302, -800, with tap hole drilling
- #43921000 Manual outflow and overflow system



**S711-F655** Built-in sink 180/450 Base cabinet: 800 mm # 43309, -800, with tap hole drilling # 43924000 Manual outflow and overflow system



**S711-F765** Built-in sink 370/370 Base cabinet: 900 mm # 43303, -800, with tap hole drilling # 43922000 Manual outflow and overflow system

items while a double sink makes it possible to


carry out several tasks at the same time. As

every sink can be combined with any mixer

in various installation options, the kitchen can

be designed to meet the customer's every

preference.



S715-F450 Built-in sink 450 with drainer
Base cabinet: 600 mm
# 43306, -800, with tap hole drilling
# 43920000 Manual outflow and overflow system
S716-F450
(Drainer right, not shown)
# 43931, -800, with tap hole drilling
# 43920000 Manual outflow and overflow system

The sinks are all 190 mm deep (main bowl), and are also available with 2 tap hole drillings and an automatic outflow and overflow system. All measurements are in mm. You will find further information at www.hansgrohe.com


### Under-mounted sinks in stainless steel

Thanks to a seamless installation, our under-mounted sinks blend smoothly with the kitchen to create a single unit. With these sinks, there is a wide selection of sizes and a choice of single or double bowls. As they are secured to the worktop from below, it makes any kitchen feel more spacious. Which is why under-mounted sinks are ideal for worktops made of materials that are not sensitive to water – natural stone, concrete or quartz.






stainless steel -800




**S719-U400** Undermount sink 400 Base cabinet: 500 mm # 43425, -800 # 43920000 Manual outflow and overflow system



**S719-U450** Undermount sink 450 Base cabinet: 600 mm

# 43426, -800


# 43920000 Manual outflow and overflow system




**\$719-U500** Undermount sink 500 Base cabinet: 600 mm # 43427, -800 # 43926000 Manual outflow and overflow system



**S719-U660** Undermount sink 660 Base cabinet: 800 mm # 43428, -800 # 43921000 Manual outflow and overflow system



**S719-U655** Undermount sink 180/450 Base cabinet: 800 mm # 43429, -800 # 43924000 Manual outflow and overflow system



**S719-U765** Undermount sink 370/370 Base cabinet: 900 mm # 43430, -800 # 43922000 Manual outflow and overflow system

The undermount sinks are all 190 mm deep (main bowl), and are also available with an automatic outflow and overflow system. All measurements are in mm. You will find further information at www.hansgrohe.com

# Sink combinations in granite SilicaTec

The range of sizes and function makes it easy to combine a sink combination with a matching mixer to create a truly modern unit. The combination of quality, design and function opens a whole new chapter in kitchen design. With the kitchen mixers, there is the choice between those with the Select button and those with the tilt lever. Each combination unit contains all the other necessary components.





graphite black -170





**C51-F450-01** Select sink combo 450 with 2-hole kitchen mixer 220 Base cabinet: 600 mm # 43212, -000





C51-F450-06 Sink combo 450 with 2-hole Select kitchen mixer 200 Base cabinet: 600 mm # 43217, -000





C51-F660-02 Select sink combo 660 with 2-hole kitchen mixer 320 Base cabinet: 800 mm # 43213,-000





Sink combo 660 with 2-hole Select kitchen mixer 200 Base cabinet: 800 mm # 43218, -000



C51-F635-04 Select sink combo 180/450 with 2-hole kitchen mixer 320 Base cabinet: 800 mm # 43215, -000





C51-F635-09 Sink combo 180/450 with 2-hole Select kitchen mixer 200 Base cabinet: 800 mm # 43220, -000





C51-F770-05 Select sink combo 370/370 with 2-hole kitchen mixer 320 Base cabinet: 900 mm # 43216, -000





C51-F770-10 Sink combo 370/370 with 2-hole Select kitchen mixer 200 Base cabinet: 900 mm # 43221, -000





C51-F450-03 Select sink combo 450 drainer with 2-hole kitchen mixer 220 Base cabinet: 600 mm # 43214, -000





C51-F450-08 Sink combo 450 drainer with 2-hole Select kitchen mixer 200 Base cabinet: 600 mm # 43219, -000

With a choice of bowl shapes including

freedom to design a completely individual kitchen. Having the drainer on the

small, elongated or double, there is plenty of

left gives an option to extend the working

area. The larger bowls are ideal for filling and

### Sinks in granite SilicaTec

cleaning bulky items. And a double sink makes

it possible to carry out several tasks at the same time. As the sinks can be combined with

any kitchen mixer and offer various installation

options, the kitchen can be designed to meet

the customer's every preference.



Surface-mounted installation

graphite black -170




concrete grey


-380



stone grey -290




**S510-F450** Built-in sink 450 Base cabinet: 600 mm # 43312, -170, -290, -380 # 43927000 Manual outflow and overflow system




**S510-F660** Built-in sink 660 Base cabinet: 800 mm


- Base cabinet: 800 mm
- # 43313, -170, -290, -380
- # 43927000 Manual outflow and overflow system



**S510-F635** Built-in sink 180/450 Base cabinet: 800 mm # 43315, -170, -290, -380 # 43928000 Manual outflow and overflow system



**S510-F770** Built-in sink 370/370 Base cabinet: 900 mm # 43316, -170, -290, -380 # 43928000 Manual outflow and overflow system



**S514-F450** Built-in sink 450 with drainer Base cabinet: 600 mm # 43314, -170, -290, -380 # 43927000 Manual outflow and overflow system

The sinks are all 190 mm deep (main bowl), and are also available with an automatic outflow and overflow system. All measurements are in mm. You will find further information at www.hansgrohe.com

### Under-mounted sinks in SilicaTec

Thanks to a seamless installation, our under-mounted sinks blend smoothly with the kitchen to create a single unit. With these sinks, there is a wide selection of sizes and a choice of single or double bowls. As they are secured to the worktop from below, it makes any kitchen feel more spacious. This is why under-mounted sinks are ideal for worktops made of materials that are not sensitive to water – natural stone, concrete or quartz.



Undermounted


graphite black -170




concrete grey




stone grey -290




**S510-U450** Undermount sink 450 Base cabinet: 600 mm # 43431, -170, -290, -380 # 43927000 Manual outflow and overflow system



**S510-U660** Undermount sink 450 Base cabinet: 800 mm # 43432, -170, -290, -380 # 43927000 Manual outflow and overflow system



**S510-U635** Undermount sink 180/450 Base cabinet: 800 mm # 43433, -170, -290, -380 # 43928000 Manual outflow and overflow system



**S510-U770** Undermount sink 370/370 Base cabinet: 900 mm # 43434, -170, -290, -380 # 43928000 Manual outflow and overflow system



### M7120-H320

2-hole Select single lever kitchen mixer 320 with pull-out spray, two spray types # 73806, -000,-800





### M7120-H220

2-hole Select single lever kitchen mixer 220 with pull-out spray, two spray types # 73805, -000,-800





M7115-H320 Select single lever kitchen mixer 320 with pull-out spout # 73803, -000, -800



f



#### M7115-H240

Select single lever kitchen mixer 240 with pull-out spout # 73802, -000,-800







#### M712-H260

Select single lever kitchen mixer 260 with swivel spout # 73811, -000, -800





M712-H320 Select single lever kitchen mixer 320 with swivel spout # 73810, -000,-800





All measurements are in mm. You will find further information at www.hansgrohe.com





### M7119-H200









M7116-H320 Single lever kitchen mixer 320 with pull-out spray, two spray types # 73801, -000, -800



reddot award 2014 winner


Ìł



#### M7116-H220

Single lever kitchen mixer 220 with pull-out spray, two spray types # 73800, -000, -800





M7114-H320 Single lever kitchen mixer 320 with pull-out spout # 73812, -000, -800



#### M711-H320

Single lever kitchen mixer 320 with swivel spout # 73813, -000, -800



Þ



for installation in front of a window # 73814000





Regulates the water flow at a simple push: a touch of playfulness as you start and stop.



Combines water with a generous amount of air. For an especially homogeneous and splash-free water spray.



Limescale deposits are simply wiped away by rubbing a finger over the flexible silicone slats.




Defines the height, side clearance, and – with pull-out function – the length of the space around the mixer.





-800





M521-H270 Single lever kitchen mixer 270 with swivel spout # 73865, -000, -800



with shut-off valve # 73866000




stainless steel finish -800



185

M5116-H200 Single lever kitchen mixer 200 with swivel spout # 73851, -000, -800 ł X



M5115-H300 Select single lever kitchen mixer 300

with pull-out spout # 73853, -000, -800





### Single lever kitchen mixer 160 with pull-out spray, two spray types # 73850, -000, -800 X



M5116-H160



M5115-H220

Select single lever kitchen mixer 220 with pull-out spout # 73852, -000, -800




350

52

M511-H260 Single lever kitchen mixer 260 with swivel spout # 73855, -000, -800

 $\mathbf{X}$ 11 (%)

> M515-H260 for open water heaters , # 73856000



#### M512-H300

Select single lever kitchen mixer 300 with swivel spout # 73854, -000,-800





M511-H220 Single lever kitchen mixer 220 with swivel spout # 73857, -000, -800







-800

M4116-H240 M411-H160 220 Single lever kitchen mixer 240 Single lever kitchen mixer 160 with pull-out spray, two spray types, with swivel spout # 73885, -000, -800 swivel spout # 73880, -000, -800 220 X ¥ X Ìł 4]] M415-H160 for open water heaters # 73886000 229 230 M414-H200 with shut-off valve # 73887000 M411-H280 M416-W260 Single lever kitchen mixer 280 Single lever kitchen mixer 260 for wall installation, swivel spout with swivel spout 222 # 73881, -000, -800 # 73888, -000 Ìł  $\left( \right)$ 277 200



M411-H260 Single lever kitchen mixer 260 with swivel spout # 73882, -000, -800



for open water heaters # 73883000

M414-H260 with shut-off valve # 73884000 hansgrohe kitchen technologies

## Quality kitchen aids to make life easier



ComfortZone height: An ultra-high spout offers plenty of space, ideal for filling large containers and pots.



Ergonomic handles: Long flat handles for ease of control.



**ComfortZone swivel function:** Swivel range (110°/120°/150°) or allround freedom of movement (360°).



Vertical handle position: For space-saving installation against a wall. Also keeps handle out of reach of children's hands.



**ComfortZone pull-out function:** Extends working range by 76 cm. Helpful, for instance, when filling a kettle or watering plants.



Variable handle positioning: The handle can be installed on the left or right as preferred.



MagFit magnetic holder: Thanks to the MagFit function, the hose slides back almost silently and slots into place in the centre of the mixer spout.



Ceramic cartridge with Boltic handle lock: Handle lock ensures wobble-free operation and a durable mixer.



**sBox:** The hose of the pull-out spout is guided safely in the sBox and protected against damage.



Fold-down function for window installation:

Ideal for installation in front of a window; simply lift the mixer up when required and lay it down.



Pull-out spray with two spray modes:

The pull-out spray offers two spray modes ( normal and shower) which are easily changed from one to the other.



Quality Made by hansgrohe: High quality materials and adherence to strict international standards ensure customers enjoy a long-term, high quality product.



Stainless steel finish PVD: Surfaces in stainless steel finish are made using PVD technology and are particularly resistant to wear and scratches.



Five year guarantee: With a five-year warranty you can always trust hansgrohe quality.



QuickClean: It is very difficult for limescale to take hold on the elastic disc and if it does, it can easily be rubbed away with a finger.



Safe, easy installation: Flexible connections and an integrated stabilisation plate make installation easier. The PEX hoses are temperatureresistant and neutral in taste and odour.



hansgrohe Sponsorship

### Maximum performance in the kitchen and on a bike

For a team to perform at its absolute best, every single member must match up perfectly and work together in total harmony. Just like hansgrohe mixer taps and sinks work as a perfectly matched team in the kitchen, thanks to their innovative control concept. That's why hansgrohe is the official title sponsor of BORA-hansgrohe, the world-class cycling team. Professional cycling is a sport as dynamic, efficient and innovative as our own hansgrohe products. To find out where and when you can see our cyclists in action, go to **bora-hansgrohe.com** or follow the team daily on social media:



BORA-hansgrohe.com hansgrohe.com

6

facebook.com/Borahansgroheofficial facebook.com/hansgrohe facebook.com/PeterSagan



instagram.com/borahansgrohe instagram.com/hansgrohe



Team App: Download from the Google Play Store or Apple App Store.



Left: Santos Tour Down Under 2018, Stage 4 128.2 km from Norwood to Uraidla, Stage winner, Peter Sagan. Right: Peter Sagan, world cycling champion 2015/2016/2017.

### hansgrohe kitchen technologies





Regulates the water flow with a simple push: an enjoyable way to start and finish any task.

Enriches the water with a generous quantity of air for a refreshingly reliable splash-free spray.



Limescale deposits are easily wiped away by rubbing a finger over the flexible silicone slats.



Defines the height, side clearance and - with the pull-out function the length of the space around the mixer.

### Sink installation options



Surface-mounted: The sink is inserted from above into a hole cut in the worktop.

Flush-fit:

The sink is fitted flush to the worktop, providing the seamless transition between sink and worktop that is only possible with stainless steel sinks



Under-mounted The sink is lowered into the worktop, making the kitchen appear more spacious.



### Sink colours and materials

Add the 3-digit suffix to create an 8-digit order number, e.g. # 43312, -170, -290 = # 43312170 for graphite black, and # 43312290 for stone grey.





-290





graphite black -170

concrete grey -380

stainless steel -800

### **Kitchen mixer finishes**

Add the 3-digit suffix to create an 8-digit order number, e.g. # 73806, -000, -800 = # 73806000 for chrome, and # 73806800 for stainless steel finish.



-000



chrome



This brochure contains only a small selection of our products. Explore the full range at www.hansgrohe-int.com

Headquarters - Hansgrohe SE · P.O. Box 1145 · D-77757 Schiltach

Tel. +49 7836 51-0 · Fax +49 7836 51-1300 · info@hansgrohe.com · www.hansgrohe.com

Australia - Hansgrohe Pty Ltd · Level 1 · 123 Camberwell Rd · East Hawthorn · Victoria 3123 · Australia Tel: +61 3 9811 9971 · info@hansgrohe.com.au · www.hansgrohe.com.au

India – Hansgrohe India (pvt.) Ltd. · Office Nos. 601 - 604 · Sky Station · Viman Nagar · 411 016 Pune · Maharashtra · India Tel. +91 20 6625 9595 · info@hansgrohe.in

Latvia - SIA Aqua Studio · Raiņa str. 14 · LV-3913 lecava · Tel. +371 29 229029 · Fax +371 3 942251 · info@hansgrohe.lv · www.hansgrohe.lv Lithuania - Santoza · Ulonų g. 5 · LT-08240 Vilnius · Tel. +370 5 2043291 · Fax +370 5 2043293 · info@hansgrohe.lt · www.hansgrohe.lt

Middle East - Hansgrohe SE DMCC Branch · Jumeirah Lakes Towers · Cluster Y, Swiss Tower · Office 1904 · PO Box 34216, Dubai, UAE Tel. +971 4 4480-200 · Fax +971 4 4480-299 · me.support@hansgrohe.com · www.hansgrohe-middleeast.com

South Africa - Hansgrohe South Africa (Pty) Ltd. P.O. Box 2912 · 136 Walton Road · Carlswald Midrand · ZA-1685 Halfway House Tel. +27 11 468 11-50 · Fax +27 11 468 11-52 · sales@hansgrohe.co.za · www.hansgrohe.co.za

United Kingdom - Hansgrohe - Units D1 and D2 - Sandown Park Trading Estate - Royal Mills - Esher - Surrey - KT10 8BL Tel. +44 1372 472001 · Fax +44 1372 470670 · enquiries@hansgrohe.co.uk · www.hansgrohe.co.uk · http://pro.hansgrohe.co.uk

